

Couplings, Threaded, Class 150



Nominal Pipe Size	Length of Thread Min.	Width of Band Min.	Metal Thickness	Outside Diameter	Length Min.	304 Part Number	316 Part Number	*OD Bar Stock
1/8	.25	.20	.09	.75	1.00	287173*	287262*	0.55
1/4	.32	.20	.09	.84	1.00	287181*	287270*	0.74
3/8	.36	.21	.10	1.01	1.12	287199*	287288*	0.86
1/2	.43	.25	.10	1.20	1.38	287204*	287296*	1.05
3/4	.50	.27	.12	1.46	1.50	287212*	287301*	1.30
1	.58	.30	.13	1.77	1.62	287220*	287319*	1.61
1 1/4	.67	.34	.14	2.15	2.00	287238*	287327*	1.86
1 1/2	.70	.37	.15	2.43	2.12	405365*	287335*	2.17
2	.75	.42	.17	2.96	2.50	287254*	287343*	2.74
2 1/2	.92	.48	.21	3.37	2.87	166107	158497	
3	.98	.55	.23	4.12	3.18	166115	120583	
4	1.08	.66	.26	5.12	3.68	166131	158471	

Couplings, Threaded, Class 3000

Nominal Pipe Size	Length of Thread Min.	Metal Thickness	Outside Diameter	Length Min.	304L 3000# Part Number	316L 3000# Part Number
1/8	.25	.19	.62	1.25	591213	180062
1/4	.32	.19	.75	1.38	410491	281046
3/8	.36	.19	.88	1.50	176380	260197
1/2	.43	.25	1.12	1.88	117629	121937
3/4	.50	.25	1.38	2.00	121979	410823
1	.58	.38	1.75	2.38	123159	123117
1 1/4	.67	.38	2.25	2.62	410831	239780
1 1/2	.70	.44	2.50	3.12	122894	239803
2	.75	.50	3.00	3.38	122852	122705
2 1/2	.93	.62	3.62	3.62		
3	1.02	.75	4.25	4.25		
4	1.09	.88	5.50	4.75		

Dimensions are in inches. All weights are approximate.
 Sizes not shown may be available upon request.