

Carbon Steel Pipe Fittings Price List In India



If you are looking for seamless carbon steel Fittings as per asme b16.9 at best price and want to buy small quantity directly from reliable and trusted manufacturer in India. mail us your requirements at sales@skylandmetal.in, our engineers will call you and will provide you best piping accessories and solutions at best cost. you can also ask carbon steel pipe Fittings price list in India with Test Reports. Our Fittings and flanges are tested on various enviroments like High pressure and low temerature. Skyland metal is known as specialist in [ASTM A234 WPB Fittings](#), [A105 Forged Fittings](#), A350 LF2 Forged Fittings and ASTM A694 Forged Fittings.

Forged Steel Fittings And Unions Price List

GENERAL NOTES

MINIMUM INVOICE:	\$50.00 net
PRICES:	All prices are each. Taxes extra as applicable
F.O.B. :	Our plant, stocking warehouse.
PAYMENT TERMS:	Net 30 days.
OTHER TERMS:	The "General Terms and Conditions" apply to all orders.

Carbon Steel Forged Fittings Price List India

PRICE LIST FOR FORGED PIPE FITTINGS AS PER IS:1239

SPECIFICATION :

Looking For VS Price List. FORGED PIPE FITTINGS, Union FORGED FITTINGS, PRICE OF CS FORGED FITTINGS ALSO CHECK PRICE OF FORGED CARBON STEEL FITTINGS (A105 PRICE IN INDIA, ASME B16.11, B16.9)

www.skylandmetal.in

Forged Pipe Fittings Price Per Kg.

Global supplier of Forged Union Threaded, Buy Large or Small quantity at Factory Price Of carbon steel forged pipe fittings.

stainless steel forged pipe fittings at factory price in India, Attractive price offer on forged steel threaded fittings & forged socket weld elbow.



Forged Union Price list



socket weld fittings price list



forged steel threaded eccentric reducer

[Special offer on forged steel socket weld/ threaded fittings with best price, Shop huge inventory of forged fittings socket-welding and threaded and forged stainless steel fittings Discounted socket weld fittings price And socket weld elbow Price In India.](#)

Thus, when forged pipe fittings manufacturers use this technique, they ensure that the fibrous tissue of [forged fittings](#) are kept consistent with appearance. Further the forged fittings manufacturers in Mumbai also ensure that the metal flow is complete. Thus forged steel fittings manufacturers can guarantee forged fittings are available with good mechanical properties and have a long service life with closed die forging, which again is considered to be incomparable by casting.

[Multiple Payment Options and Low Price for union forged carbon & forged steel threaded half coupling, forged steel threaded eccentric reducer Price List In India For Year 2019-2020, Check Online socket weld tee price list.](#)

The American National Pipe Thread Tapered, is the best known and most widely used connection as compared to its British counterpart. The [NPT ASME B16.11 Stainless Steel Threaded Fittings](#) used for pipe provides both a mechanical joint along with a hydraulic seal. NPT Threaded Fuel Line Fittings generally has a tapered male and female thread. This male and female thread in the Cast Iron Threaded Fittings is what seals the pipe with Teflon® tape or jointing compound.

Both Npt Threaded Fittings as well as the Nps Threaded Fittings have the same thread shape, angle and pitch or threads per inch. However, NPT Threaded Fittings Asme B16.11 are tapered, while the NPS Forged Threaded Fittings are straight or they are parallel. Both threads of the Stainless Steel Threaded Fittings have a 60° included angle. Both the threads also have flat peaks .

The designated pressure rating for [ASME B16.11 Socket Weld Tee Fittings](#) includes Classes - 3000, 6000, and 9000 for socket-weld end fittings. Socket weld Fittings such as the Socket Weld Cap are forged products. These [forged b16.11 cap](#) are classified based on their pressure- temperature rating.

Threaded Forged Steel Fittings												ASME B16.11	
Class 2000												Carbon Steel ASTM A-105-N / ASME SA-105-N	
NOMINAL		90° Elbows			45° Elbows			Tees			Crosses		
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY
1/8"	3	----	--	--	----	--	--	----	--	--	----	--	--
1/4"	6	19.84	0.20	25	35.62	0.19	25	28.26	0.26	25	POA	0.52	25
3/8"	10	19.84	0.27	25	35.62	0.22	25	31.68	0.34	25	POA	0.46	25
1/2"	15	21.03	0.52	25	33.06	0.46	25	26.89	0.60	25	POA	0.78	25
3/4"	20	28.48	0.78	25	35.20	0.70	25	34.99	1.01	25	POA	1.13	25
1"	25	29.89	1.14	25	40.81	0.97	25	42.96	1.44	25	114.98	1.58	25
1-1/4"	32	62.28	1.58	25	70.07	1.38	25	92.69	2.00	25	POA	2.45	20
1-1/2"	40	85.43	2.42	25	79.78	1.73	25	103.78	2.87	20	278.27	3.19	10
2"	50	103.64	3.58	10	140.82	3.21	10	139.44	4.46	10	369.14	5.43	8
2-1/2"	65	276.24	6.50	--	POA	7.75	--	426.09	9.53	--	POA	16.44	--
3"	80	407.21	10.50	--	471.21	11.31	--	617.44	12.91	--	1373.75	19.50	--
4"	100	POA	26.67	--	POA	19.13	--	POA	28.70	--	POA	32.69	--

Threaded Forged Steel Fittings												ASME B16.11	
Class 3000												Carbon Steel ASTM A-105-N / ASME SA-105-N	
NOMINAL		90° Elbows			45° Elbows			Tees			Crosses		
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY
1/8"	3	27.86	0.20	25	37.21	0.25	25	34.00	0.32	25	51.18	0.44	25
1/4"	6	27.86	0.35	25	37.21	0.29	25	34.00	0.43	25	87.04	0.57	25
3/8"	10	27.86	0.62	25	37.21	0.56	25	34.00	0.75	25	87.04	0.97	25
1/2"	15	22.19	0.97	25	35.32	0.90	25	36.41	1.32	25	87.04	1.51	25
3/4"	20	29.89	1.42	25	39.59	1.28	25	53.18	1.96	25	120.84	2.50	25
1"	25	44.88	2.20	25	55.29	1.94	25	69.26	3.16	20	142.89	3.58	20
1-1/4"	32	83.27	3.06	20	80.83	2.23	25	115.23	3.80	15	245.95	4.13	12
1-1/2"	40	102.41	5.38	10	119.98	4.68	12	152.53	7.31	10	319.65	6.50	8
2"	50	131.41	6.10	9	165.45	4.93	9	203.35	7.50	8	443.03	8.67	7
2-1/2"	65	379.57	11.90	--	439.00	7.38	--	469.78	13.13	--	POA	16.75	--
3"	80	555.62	14.44	--	694.97	13.56	--	933.45	23.10	--	1663.10	25.67	--
4"	100	1221.70	31.97	--	1278.50	19.06	--	1608.61	40.00	--	POA	32.00	--

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra

Threaded Forged Steel Fittings													ASME B16.11	
Class 3000													Carbon Steel ASTM A-105-N / ASME SA-105-N	
NOMINAL		Couplings			Reducing Couplings			Half Couplings			Pipe Caps			
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	
1/8"	3	12.34	0.10	25	----	--	--	6.59	0.06	25	11.94	0.08	25	
1/4"	6	12.34	0.10	25	13.49	0.12	25	6.59	0.06	25	11.84	0.08	25	
3/8"	10	12.33	0.11	25	15.78	0.16	25	6.76	0.06	25	11.84	0.09	25	
1/2"	15	10.26	0.27	25	15.78	0.34	25	7.46	0.14	25	12.14	0.24	25	
3/4"	20	13.51	0.39	25	19.30	0.51	25	9.28	0.19	25	16.77	0.36	25	
1"	25	22.69	0.81	25	29.65	1.01	25	14.31	0.42	25	25.84	0.72	25	
1-1/4"	32	38.18	1.57	25	51.57	1.87	25	23.06	0.79	25	38.56	1.00	25	
1-1/2"	40	51.20	2.20	25	60.48	2.49	25	30.88	1.13	25	47.06	1.63	25	
2"	50	68.96	3.15	16	91.62	3.69	16	42.13	1.55	25	65.66	3.13	25	
2-1/2"	65	156.64	4.86	--	472.71	6.00	--	83.07	2.33	--	196.53	5.00	--	
3"	80	242.70	6.66	--	772.20	8.75	--	202.37	3.40	--	366.28	7.19	--	
4"	100	477.58	12.90	--	1208.22	10.00	--	339.93	8.38	--	435.55	14.00	--	

Threaded Forged Steel Fittings													ASME B16.11	
Class 3000													Carbon Steel ASTM A-105-N / ASME SA-105-N	
NOMINAL		Street Elbows			Laterals									
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN							
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY							
1/8"	3	42.24	0.26	25	----	--	--							
1/4"	6	39.40	0.22	25	----	--	--							
3/8"	10	41.17	0.35	25	----	--	--							
1/2"	15	41.17	0.58	25	POA	1.75	--							
3/4"	20	53.48	0.97	25	POA	2.75	--							
1"	25	65.47	1.79	25	POA	4.63	--							
1-1/4"	32	118.28	2.34	20	POA	5.50	--							
1-1/2"	40	148.62	4.29	12	POA	9.50	--							
2"	50	206.29	5.46	8	POA	10.81	--							
2-1/2"	65	----	--	--	----	--	--							
3"	80	----	--	--	----	--	--							
4"	100	----	--	--	----	--	--							

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra

Threaded Forged Steel Fittings											ASME B16.11		
Class 6000											Carbon Steel ASTM A-105-N / ASME SA-105-N		
NOMINAL		90° Elbows			45° Elbows			Tees			Crosses		
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY
1/8"	3	POA	0.25	25	POA	0.25	25	POA	0.50	25	POA	0.56	25
1/4"	6	48.21	0.63	25	POA	0.64	25	62.39	0.85	25	POA	1.19	25
3/8"	10	POA	1.02	25	POA	0.50	25	POA	1.41	25	POA	1.50	25
1/2"	15	48.20	1.71	25	68.80	1.44	25	62.39	2.26	25	POA	2.75	25
3/4"	20	60.12	2.63	25	90.87	2.19	25	80.41	3.56	20	POA	4.31	20
1"	25	78.96	3.83	20	103.99	2.78	20	136.67	5.05	15	POA	6.63	20
1-1/4"	32	155.29	6.75	20	POA	4.69	20	POA	7.63	15	POA	10.75	10
1-1/2"	40	202.72	7.50	10	272.51	5.75	10	239.55	9.63	8	POA	11.50	7
2"	50	362.04	13.44	--	379.80	9.50	--	452.84	18.70	--	POA	22.19	--
2-1/2"	65	POA	20.88	--	POA	15.00	--	POA	28.06	--	POA	19.50	--
3"	80	POA	39.05	--	POA	30.56	--	POA	47.50	--	POA	54.00	--
4"	100	POA	40.00	--	POA	--	--	POA	--	--	POA	--	--

Threaded Forged Steel Fittings											ASME B16.11		
Class 6000											Carbon Steel ASTM A-105-N / ASME SA-105-N		
NOMINAL		Pipe Caps			Couplings			Reducing Couplings			Half Couplings		
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY
1/8"	3	POA	0.13	25	25.38	0.16	25	----	--	--	POA	0.07	25
1/4"	6	29.55	0.13	25	25.38	0.25	25	225.16	0.25	25	21.22	0.09	25
3/8"	10	POA	0.19	25	25.38	0.25	25	POA	0.43	25	POA	0.13	25
1/2"	15	29.55	0.31	25	21.24	0.68	25	225.16	0.75	25	17.76	0.33	25
3/4"	20	44.69	0.44	25	23.47	0.91	25	275.61	1.05	25	17.76	0.47	25
1"	25	47.47	0.75	25	34.98	1.93	25	423.33	2.00	25	23.58	0.95	25
1-1/4"	32	POA	1.31	25	75.90	2.38	20	POA	3.70	20	49.06	1.19	25
1-1/2"	40	122.23	1.69	25	75.89	4.15	16	POA	4.60	16	50.13	2.19	25
2"	50	145.38	3.25	20	131.50	6.25	--	1306.55	7.00	--	90.13	3.08	--
2-1/2"	65	POA	8.10	--	POA	10.75	--	POA	11.00	--	POA	5.38	--
3"	80	POA	11.70	--	1055.91	13.50	--	POA	15.00	--	POA	6.75	--
4"	100	POA	14.25	--	POA	24.50	--	POA	26.00	--	POA	7.00	--

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra

Threaded Forged Steel Fittings								ASME B16.11					
Class 6000								Carbon Steel ASTM A-105-N / ASME SA-105-N					
NOMINAL		Street Elbows			Laterals								
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN						
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY						
1/8"	3	POA	0.37	--	----	--	--						
1/4"	6	POA	0.38	--	----	--	--						
3/8"	10	POA	0.44	--	----	--	--						
1/2"	15	POA	1.00	--	POA	2.38	--						
3/4"	20	POA	1.63	--	POA	3.25	--						
1"	25	POA	3.03	--	POA	5.44	--						
1-1/4"	32	POA	3.69	--	POA	7.19	--						
1-1/2"	40	POA	7.12	--	POA	12.31	--						
2"	50	----	--	--	----	--	--						
2-1/2"	65	----	--	--	----	--	--						
3"	80	----	--	--	----	--	--						
4"	100	----	--	--	----	--	--						

Threaded Forged Steel Fittings								ASME B16.11					
Class 3000/6000								Carbon Steel ASTM A-105-N / ASME SA-105-N					
NOMINAL		Hexagon Plugs			Hexagon Bushings			Round Head Plugs			Square Head Plugs		
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY
1/8"	3	3.94	0.01	25	----	--	--	13.12	0.03	25	5.00	0.02	25
1/4"	6	4.75	0.05	25	8.00	0.03	25	9.60	0.09	25	5.37	0.03	25
3/8"	10	5.04	0.07	25	8.00	0.03	25	10.25	0.14	25	5.92	0.04	25
1/2"	15	5.32	0.14	25	7.89	0.06	25	7.77	0.23	25	6.26	0.09	25
3/4"	20	8.65	0.28	25	10.36	0.11	25	8.59	0.39	25	8.15	0.16	25
1"	25	13.72	0.44	25	17.29	0.21	25	12.53	0.71	25	11.24	0.33	25
1-1/4"	32	24.99	0.91	25	24.21	0.41	25	29.33	1.13	25	27.12	0.57	25
1-1/2"	40	33.09	1.31	25	29.55	0.41	25	29.34	1.56	25	27.90	0.81	25
2"	50	52.09	2.19	25	47.79	0.92	25	47.46	3.10	20	44.27	1.35	25
2-1/2"	65	102.17	3.72	--	132.68	1.29	--	POA	4.75	--	105.73	2.25	--
3"	80	189.42	5.87	--	226.54	2.13	--	426.63	7.62	--	189.42	2.87	--
4"	100	279.46	13.00	--	320.40	4.50	--	POA	12.87	--	281.93	7.18	--

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra

Socket Welding Forged Steel Fittings											ASME B16.11		
Class 3000											Carbon Steel ASTM A-105-N / ASME SA-105-N		
NOMINAL		90° Elbows			45° Elbows			Tees			Crosses		
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY
1/8"	3	POA	0.13	25	POA	0.13	25	38.93	0.25	25	POA	0.25	25
1/4"	6	29.24	0.18	25	38.72	0.20	25	38.93	0.25	25	117.96	0.25	25
3/8"	10	29.22	0.27	25	38.72	0.21	25	38.93	0.34	25	117.96	0.38	25
1/2"	15	19.63	0.48	25	29.29	0.43	25	25.89	0.58	25	117.96	0.81	25
3/4"	20	21.81	0.69	25	34.13	0.68	25	32.16	0.92	25	121.69	1.13	25
1"	25	29.89	1.10	25	44.30	0.85	25	36.60	1.38	25	131.84	1.55	25
1-1/4"	32	59.49	1.54	25	63.85	1.36	25	76.60	1.95	25	196.25	2.25	14
1-1/2"	40	82.18	2.33	25	77.31	1.63	25	116.12	2.90	20	257.00	3.06	12
2"	50	117.41	3.43	10	134.71	2.97	10	163.18	4.48	10	319.33	5.13	8
2-1/2"	65	267.62	6.61	--	361.86	6.75	--	392.23	8.75	--	POA	18.00	--
3"	80	474.45	10.87	--	600.83	10.50	--	1011.57	12.50	--	POA	23.00	--
4"	100	1164.07	25.00	--	1219.83	18.19	--	2047.50	27.80	--	POA	40.00	--

Socket Welding Forged Steel Fittings											ASME B16.11		
Class 3000											Carbon Steel ASTM A-105-N / ASME SA-105-N		
NOMINAL		Couplings			Reducing Couplings			Half Couplings			Pipe Caps		
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY
1/8"	3	27.41	0.13	25	----	--	--	POA	0.13	25	POA	0.06	25
1/4"	6	27.41	0.13	25	POA	0.12	25	18.66	0.13	25	21.33	0.06	25
3/8"	10	27.41	0.13	25	53.22	0.18	25	18.66	0.13	25	21.33	0.13	25
1/2"	15	15.02	0.22	25	44.69	0.34	25	16.64	0.30	25	17.50	0.21	25
3/4"	20	18.31	0.39	25	51.62	0.50	25	16.96	0.45	25	19.80	0.34	25
1"	25	20.13	0.55	25	68.69	0.73	25	23.67	0.72	25	30.01	0.53	25
1-1/4"	32	33.33	0.88	25	95.25	1.35	25	47.67	0.81	25	35.83	0.81	25
1-1/2"	40	42.13	1.28	25	99.62	1.58	25	48.10	1.00	25	48.39	1.13	25
2"	50	67.19	1.79	25	113.59	3.50	20	65.80	2.00	25	73.14	1.69	25
2-1/2"	65	124.36	2.55	--	509.92	6.20	--	POA	2.63	--	390.90	3.00	--
3"	80	294.17	4.04	--	848.24	6.50	--	355.91	3.88	--	420.39	3.63	--
4"	100	420.74	6.63	--	POA	7.00	--	POA	6.63	--	611.36	6.69	--

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra

Socket Welding Forged Steel Fittings										ASME B16.11			
Class 3000										Carbon Steel ASTM A-105-N / ASME SA-105-N			
NOMINAL		Inserts			Lateral								
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN						
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY						
1/8"	3	----	--	--	----	--	--						
1/4"	6	----	--	--	----	--	--						
3/8"	10	31.46	0.20	25	----	--	--						
1/2"	15	27.30	0.20	25	POA	1.00	--						
3/4"	20	30.16	0.31	25	POA	1.50	--						
1"	25	36.70	0.42	25	POA	2.38	--						
1-1/4"	32	44.91	0.69	25	POA	3.75	--						
1-1/2"	40	53.76	0.82	25	POA	4.13	--						
2"	50	72.63	0.93	25	POA	6.28	--						
2-1/2"	65	504.60	1.60	--	----	--	--						
3"	80	605.13	3.85	--	----	--	--						
4"	100	POA	6.25	--	----	--	--						

Unions - Threaded & Socket Welding										MSS-SP83			
Steel to Steel										Carbon Steel ASTM A-105-N / ASME SA-105-N			
NOMINAL PIPE SIZE		Unions - Threaded						Unions - Socket Welding					
		3000			6000			3000			6000		
		LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY
NPS	ΔDN												
1/8"	3	51.13	0.38	25	----	--	--	65.60	0.38	25	----	--	--
1/4"	6	51.13	0.38	25	123.94	0.56	25	65.60	0.38	25	143.99	0.56	25
3/8"	10	51.13	0.50	25	POA	0.75	25	65.60	0.50	25	POA	0.75	25
1/2"	15	49.53	0.73	25	119.34	1.25	25	52.59	0.70	25	130.66	1.25	25
3/4"	20	56.53	1.20	25	137.79	1.75	25	61.37	1.17	25	149.21	1.75	25
1"	25	69.16	1.73	25	173.99	3.17	20	79.22	1.70	25	200.43	3.17	20
1-1/4"	32	119.88	2.61	18	POA	3.75	15	135.84	2.48	18	346.64	3.75	15
1-1/2"	40	130.82	3.42	14	356.45	6.00	9	137.93	3.37	14	393.14	6.00	9
2"	50	176.50	5.32	9	515.26	10.50	5	204.91	5.22	9	850.69	10.50	5
2-1/2"	65	334.85	8.75	--	----	--	--	480.51	8.75	--	----	--	--
3"	80	499.81	13.00	--	----	--	--	608.01	12.63	--	----	--	--
4"	100	POA	18.00	--	----	--	--	POA	17.25	--	----	--	--

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra

Socket Welding Forged Steel Fittings													ASME B16.11	
Class 6000													Carbon Steel ASTM A-105-N / ASME SA-105-N	
NOMINAL		90° Elbows			45° Elbows			Tees			Couplings			
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	
1/8"	3	----	--	--	----	--	--	----	--	--	----	--	--	
1/4"	6	----	--	--	----	--	--	----	--	--	----	--	--	
3/8"	10	45.87	0.80	25	----	--	--	----	--	--	----	--	--	
1/2"	15	40.50	0.90	25	56.53	0.88	25	57.91	1.38	25	27.52	0.78	25	
3/4"	20	45.35	1.44	25	57.70	0.88	25	69.48	1.96	25	29.81	1.26	25	
1"	25	62.31	2.37	25	76.06	1.91	25	88.47	3.22	20	33.23	1.44	25	
1-1/4"	32	101.65	3.19	18	203.72	2.27	20	213.31	3.75	18	97.59	1.63	25	
1-1/2"	40	136.91	5.81	10	203.88	4.31	12	224.32	7.48	7	99.51	2.00	20	
2"	50	206.57	6.90	--	251.74	4.81	--	287.17	8.24	--	131.76	3.88	--	
2-1/2"	65	POA	11.88	--	POA	9.63	--	POA	16.63	--	POA	5.50	--	
3"	80	POA	19.25	--	POA	14.25	--	POA	23.50	--	POA	6.63	--	
4"	100	POA	32.70	--	POA	27.25	--	POA	33.00	--	POA	13.13	--	

Socket Welding Forged Steel Fittings													ASME B16.11	
Class 6000													Carbon Steel ASTM A-105-N / ASME SA-105-N	
NOMINAL		Half Couplings			Reducing Couplings			Pipe Caps			Reducing Inserts			
PIPE SIZE		LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	LIST	WGT	CTN	
NPS	ΔDN	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	PRICE	LBS	QTY	
1/8"	3	----	--	--	----	--	--	----	--	--	----	--	--	
1/4"	6	----	--	--	----	--	--	----	--	--	----	--	--	
3/8"	10	----	--	--	----	--	--	----	--	--	----	--	--	
1/2"	15	46.50	0.38	25	POA	0.78	25	50.13	0.38	25	POA	0.15	--	
3/4"	20	48.21	0.56	25	POA	1.26	25	51.08	0.50	25	168.52	0.20	--	
1"	25	49.92	1.00	25	341.09	1.44	25	51.84	1.13	25	193.58	0.50	--	
1-1/4"	32	POA	1.44	25	POA	1.63	25	POA	1.13	25	POA	0.83	--	
1-1/2"	40	467.48	2.00	20	604.85	2.00	20	157.42	2.25	20	629.60	0.95	--	
2"	50	533.28	3.88	12	695.73	3.88	12	234.33	3.50	12	693.27	1.97	--	
2-1/2"	65	POA	5.50	--	POA	5.50	--	POA	5.63	--	POA	2.20	--	
3"	80	POA	6.00	--	POA	6.63	--	POA	6.00	--	POA	3.10	--	
4"	100	POA	--	--	POA	13.13	--	POA	14.25	--	POA	--	--	

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra